



12402 Husemann Rd.  
Brenham, Tx. 77833  
(713) 906-6242  
(979) 421-6263 Fax

## **EZESLIDE - XLT MATERIAL SAFETY DATA SHEET**

	<b>SECTION 1.0</b>
Revised Date	04/18/12
Supercedes	04/18/11
	<b>SECTION 2.0</b>
Trade Name	EXESLIDE XLT
Synonyms/Other Designations	EXESLIDE - XLT
Chemical Formula	Proprietary mixture
Hazard(s)	Non-Combustible Liquid
	<b>SECTION 3.0</b>
Boiling Point	N/A
Freezing Point	N/A
Specific Gravity	0.84
Vapor Pressure (mm Hg)	N/A
Vapor Density	N/A
Solubility in H <sub>2</sub> O	Dispersable
Appearance	Brown liquid
Odor	Slight solvent
	<b>SECTION 4.0</b>
Stability	Stable under normal conditions
Incompatibility	Strong oxidizers
Hazardous Decomposition Products	Combustion may cause smoke, carbon dioxide, carbon monoxide
Hazardous Polymerizations	Will not occur
	<b>SECTION 5.0</b>
Flash Point	>273 F
Extinguishing Media	Water, dry chemical, foam, CO <sub>2</sub>
Special Fire Fighting Procedures	Normal firefighting procedures
Unusual Fire Hazards	None known
pH	6.5-8.0



## EZESLIDE - XLT MATERIAL SAFETY DATA SHEET

	<b>SECTION 6.0</b>
Inhalation	Move to well ventilated area; if breathing difficulties persist after 15 minutes, seek medical help.
Eye Contact	Wash eye thoroughly for 15 minutes; if irritation persists, seek medical help.
Skin Contact	Wash exposed area with soap and water.
Ingestion	Do not induce vomiting, drink water to dilute, seek medical assistance.
	<b>SECTION 7.0</b>
Acute	No data available
Chronic	No data available
	<b>SECTION 8.0</b>
Accidental Spill Procedures	Absorb with inert material and dispose of according to local, state, and federal regulations.
Handling & Storage	Store in well ventilated area
	<b>SECTION 9.0</b>
Respiratory Protection	NIOSH approved dust/mist respirator in mist conditions
Ventilation	Desired
Exhaust	Mechanical
Protective Gloves	Rubber gloves
Eye Protection	Safety Glasses, Goggles
Other Protection	Eye wash/Safety shower
	<b>SECTION 10.0</b>
DOT Proper Shipping Name	Not Regulated
DOT Hazard Class or Division	Not Hazardous
DOT Identification Number	NA
DOT Packaging Group	NA
Type Label(s) Required or Exemption Nu	None



**EZESLIDE - XLT  
MATERIAL SAFETY DATA SHEET**

DISCLAIMER	SECTION 11.0 SOME INFORMATION PROVIDED HEREIN WAS DRAWN FROM SOURCES OTHER THAN BLACKHAWK DRILLING PRODUCTS INC.
DISCLAIMER	THE INFORMATION PROVIDED HEREIN IS BELIEVED BY BLACKHAWK DRILLING PRODUCTS TO BE CORRECT AND RELIABLE: NO EXPRESSED OR IMPLIED WARRANTY IS PROVIDED HOWEVER.
DISCLAIMER	BLACKHAWK DRILLING PRODUCTS ASSUMES NO RESPONSIBILITY AND DENIES ALL LIABILITY FOR ANY LOSS, DAMAGE, OR EXPENSE CONNECTED WITH CUSTOMERS' METHOD OF HANDLING, STORAGE, USE, AND DISPOSAL OF THIS PRODUCT.
DISCLAIMER	THE MSDS INFORMATION PROVIDED HEREIN IS APPLICABLE ONLY TO THIS PRODUCT.