

MASTER VIS™**SECTION I – CHEMICAL PRODUCT/CHEMICAL IDENTIFICATION**

Product Name: Xanthan Gum Industrial Grade
Manufacturer: Mud Masters Group, Inc.
500 West Wall, Suite 200
Midland, Texas 79702
(432) 687-1171
Chemical Family: Xanthan Gum
Product Use: Oil Field Process Chemical

Emergency Telephone Number:
432-687-1171

SECTION II – COMPOSITION/INFORMATION ON INGREDIENTS

Components:	%	CAS#
Xanthan Gum	98-100	11138-66-2

SECTION III – HAZARDS IDENTIFICATION**☆☆☆☆☆ Emergency Overview ☆☆☆☆☆**

This material can form dust that may cause skin or mucous membrane irritation. Symptoms may include redness, burning, and swelling. Although they may cause respiratory tract irritation, nuisance dusts do not form scar tissue or affect the structure of air spaces in the lungs. Their effects on the tissues are potentially reversible.

Potential Health Effects

Primary Entry Routes: Inhalation, Skin contact, Eye contact.

Target Organs: none

Acute Effects

Inhalation: This material is a dust or may produce dust. Breathing small amounts of this material is not likely to be harmful.

Eye: Dust can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin: Unlikely to cause skin irritation or injury.

Ingestion: Swallowing this material is not likely to be harmful.

Carcinogenicity: IARC, NTP, and OSHA do not list Xanthan Gum as a carcinogen.

Medical Conditions Aggravated by Long-Term Exposure: None known.

Chronic Effects: None known.

SECTION IV – FIRST AID MEASURES

Inhalation: If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Eye Contact: If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

Skin Contact: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

Ingestion: First aid is not normally required. If symptoms develop, seek medical attention.

After first aid, get appropriate in-plant, paramedic, or community medical support.

SECTION V – FIRE FIGHTING MEASURES

Flash Point: N/A

Flash Point Method: N/A

Autoignition Temperature: N/A

LEL: N/A

UEL: N/A

Flammability Classification:


Extinguishing Media: regular foam, water fog, carbon dioxide, sand.

Unusual Fire or Explosion Hazards: Organic dusts can form explosive mixtures in air.

Hazardous Combustion Products: May form: carbon dioxide and carbon monoxide.

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.



SECTION VI – RELEASE MEASURES

Spill /Leak Procedures:

Small Spills: Sweep up material for disposal or recovery.

Large Spills

Containment: For large spills, dike far ahead of spill for later disposal. Shovel material into containers. Do not release into sewers or waterways.

Cleanup: Thoroughly sweep area of spill to clean up any residual material.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

SECTION VII – HANDLING AND STORAGE

Handling Precautions: Use good personal hygiene practices. All hazard precautions given in the data sheet must be observed.

Storage Requirements: Store in a cool, dry place at 75 °C or lower.

SECTION VIII – PERSONAL PROTECTION / EXPOSURE CONTROL

Engineering Controls:

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Administrative Controls:

Respiratory Protection: Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA.

Warning! Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

Protective Clothing/Equipment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Physical State: solid
Appearance and Odor: beige powder/bland odor
Odor Threshold:
Vapor Pressure:
Vapor Density (Air=1):
Formula Weight:
Density:
Specific Gravity (H₂O=1, at 4 °C): 1.5 @ 77 °F
pH: no data

Water Solubility: soluble
Other Solubilities:
Boiling Point: no data
Freezing/Melting Point: no data
Viscosity: no data
Refractive Index:
Surface Tension:
% Volatile:
Evaporation Rate:

SECTION X – STABILITY AND REACTIVITY

Stability: Xanthan Gum is stable at room temperature in closed containers under normal storage and handling conditions.
Polymerization: Hazardous polymerization cannot occur.
Chemical Incompatibilities: Strong oxidizing agents.
Conditions to Avoid: Protect from moisture.
Hazardous Decomposition Products: Thermal oxidative decomposition of Xanthan Gum can produce carbon dioxide and carbon monoxide.

SECTION XI – TOXICOLOGICAL INFORMATION

Toxicity Data: *

Acute Oral Effects:
Rat, oral, LD₅₀: mg/kg
Chronic Effects: no data available
Carcinogenicity: : no data available
Mutagenicity: : no data available
Teratogenicity: : no data available

* See NIOSH, *RTECS*, for additional toxicity data.

SECTION XII – ECOLOGICAL INFORMATION

Ecotoxicity: no data available
Environmental Fate: no data available
Environmental Degradation: no data available
Soil Absorption/Mobility: no data available

SECTION XIII – DISPOSAL CONSIDERATIONS

Disposal: Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

SECTION XIV – TRANSPORTATION INFORMATION

DOT Transportation Data (49 CFR 172.101): Not Regulated.

Shipping Name:
Shipping Symbols:
Hazard Class:
ID No.:
Packing Group:
Label:
Special Provisions (172.102):

Packaging Authorizations
a) Exceptions:
b) Non-bulk Packaging:
c) Bulk Packaging:

Quantity Limitations
a) Passenger, Aircraft, or Railcar:
b) Cargo Aircraft Only:

Vessel Stowage Requirements
a) Vessel Stowage:
b) Other:

SECTION XV – REGULATORY INFORMATION

US Federal Regulations

TSCA (Toxic Substances Control Act) Status

TSCA (UNITED STATES) The intentional ingredients of this product are listed.

CERCLA RQ - 40 CFR 302.4(a): None listed

CERCLA RQ - 40 CFR 302.4(b)

Materials without a "listed" RQ may be reportable as an "unlisted hazardous substance". See 40 CFR 302.5 (b).

SARA 302 Components - 40 CFR 355 Appendix A: None

Section 311/312 Hazard Class - 40 CFR 370.2

Immediate() Delayed() Fire() Reactive() Sudden Release of Pressure()

SARA 313 Components - 40 CFR 372.65: None

International Regulations - Inventory Status: Not determined

State and Local Regulations - California Proposition 65: None

SECTION XVI – OTHER INFORMATION

Disclaimer:

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. Buyer assumes all risk of use, storage and handling of the product in compliance with applicable Federal, State and local law and regulations.

Horizon Mud Company makes no warranty of any kind, express or implied, concerning the accuracy or completeness of the information and data herein. The implied warranties of merchantability and fitness for a particular purpose are specifically excluded. Horizon Mud Company will not be liable for claims relating to any use of this product.